CERTIFICATE OF ANALYSIS

SHANDONG XUYAN ENVIRONMENTAL PROTECTION TECHNOLOGIES CO., LTD

PRODUCT NAME: CITRIC ACID ANHYDROUS

THIS IS TO CERTIFY THAT THE ANALYSIS RESULT OF THE GOODS IS AS FOLLOWS:

| NO. | ITEM | BP2011 | E330 | USP34 | FCC7 | ENTERPRISE SPEC |
|-----|---|----------------------------|------------------------------|---------------|--------------------|---|
| 1 | CHARACTERISTICS | COLORLESS OR WHITE CRYSTAL | | | | |
| 2 | IDENTIFICATION | PASS THE TEST | | | | |
| 3 | LIGHT TRANSMITTANCE | / | / | / | / | ≥98% |
| 4 | CLARITY&COLOUR OF SOLUTION | PASS TEST | / | PASS TEST | / | PASS TEST |
| 5 | ASSAY | 99.5-100.5% | ≥99.50% | 99.5-100.5% | 99.5-100.5% | 99.8 |
| 6 | WATER | ≤1.0% | ≤0.5% | ≤0.1% | ≤0.5% | 0.10% |
| 7 | SULPHATED ASH | ≤0.1% | ≪0.05% | ≤0.1% | ≤0.05% | ≤0.05% |
| 8 | SULPHATE | ≤150ppm | / | ≤150ppm | / | ≤20ppm |
| 9 | OXALATE | ≤360ppm | ≤100ppm | ≤360ppm | NO TURBIDITY FORMS | ≤20ppm |
| 10 | CALCIUM | / | / | / | / | ≤20ppm |
| 11 | HEAVY METALS | ≤10ppm | ≤5ppm | ≤10ppm | / | ≤1ppm |
| 12 | IRON | / | / | / | / | ≤1ppm |
| 13 | CHLORIDE | / | / | / | / | ≤5ppm |
| 14 | READILY | NOT EXCEEDING | NOT | NOT EXCEEDING | A≤0.52 | K≤1.0 |
| | CARBURETED SUBSTANCES | THE STANDARD | EXCEEDING THE STANDARD | THE STANDARD | Τ%≥30 | |
| 15 | BACTERIAL ENDOTOXINS | ≤0.5IU/mg | / | PASS TEST | / | ≤0.5IU/mg |
| 16 | ALUMINIUM | ≤0.2ppm | / | ≤0.2ppm | / | ≤0.2ppm |
| 17 | ARSENIC | / | ≤1ppm | / | / | ≤1ppm |
| 18 | MERCURY | / | ≤1ppm | / | / | ≤0.1ppm |
| 19 | LEAD | / | ≤1ppm | / | ≤0.5ppm | ≤0.5ppm |
| 20 | TRIDODECYLAMINE | / | / | / | ≤0.1ppm | ≤0.1ppm |
| 21 | POLYCYCLIC AROMATIC HYDROCARBONS (PAH) | / | / | / | / | ≤0.05 (260-350nm) |
| 22 | ISOCITRIC ACID | / | / | / | / | PASS TEST |
| 23 | WATER INSOLUBLE SUBSTANCES | / | / | / | / | FILTRATION TIME NOT TMORE THAN 1MIN; FILTER MEMBRANCE DOESN'T BASCIALLY CHANGE COLOR VISUAL MOTTLED PARTICLES |